



TSX-V: BKR

FSE: BR2

WKN: A110N3

May 2nd 2018

BERKWOOD REPORTS ITS 3RD DRILL PROGRAM PRODUCED CONTINUED HIGH GRADE GRAPHITE ASSAYS WITH 17.37% Cgr OVER 130.55m

May 2, 2018, VANCOUVER, B.C. Berkwood Resources Ltd. (TSX-V: BKR, FSE: BK2, WKN: A110N3) (“Berkwood” or the “Company”) is pleased to announce the assay results from the Phase 3 drilling program on the **Zone 1 Graphite Body** at the Company’s 100% owned Lac Gueret South Project. A total of nine HQ diamond drill holes were drilled in the Phase 3 drill program with every hole intersecting visible Graphite (as per the news release dated April 26th, 2018). Of the nine holes drilled, eight of them intersected significant mineralization with one hole having 17.37% Cgr over 130.55m with a true thickness of 87.5m. As per the table below Graphite assay grades have been returned as high as 33.88%. This combined with BK1-15-17 from Phase 1 drilling of 72.10m at 13.64% Cgr and multiple other wide intersections indicates a large unique discovery.

Three separate drill programs have been executed on Berkwood’s Zone 1 Graphite Body for a total of over 4,000m completed. All 27 holes have mineralization and 26 holes of these have intersected significant graphite. These intercepts support an evolving structural model of multiple recumbently folded horizon(s) hosting thicker and more consistent graphitic intervals of high grade and wide true thicknesses that suggests strong continuity in the system. On our airborne EM anomaly (see attached map), we have drilled an area about 300m by 300m, leaving a large anomalous area that is still as yet untested by drilling..

The inclined holes were drilled to maximum lengths of about 190 meters. The graphite lies near surface to open-pit mineable depths similar to the depths drilled by Mason Graphite for its planned open pit development.

Edward Lyons, PGeo (BC, QC, NL) states, “With the 130m intercept near surface and a length-weighted composite grade of 17.37% Cgr, the Phase 3 drill program represents a success. The importance of the thinner intersections is that they can mark the edges of thicker beds of graphite. Industry and metallurgical experience in highly metamorphic graphitic rocks has shown that the medium and lower graphite grade material can yield higher percentages of coarse flake graphite recovery, making these units potentially of similar economic value. The true widths and persistence of graphite in almost all of Berkwood’s drill holes to date show the potential of the Zone 1 anomaly.”

The discovery is eight kilometers southwest of Mason Graphite’s deposit, which has an NI 43-101 Feasibility Study. We share a similar structure with one of the highest grade graphite deposits in the world. Mason is concluding its permitting process to start development in 2018. This benefits Berkwood’s project as all the infrastructure is, or should be in place, once our neighbour goes into production.

Tom Yingling, President and CEO, notes that the increasing demand for graphite is reflected in part by the following:

- Governments are mandating that automobile manufactures build and sell electric vehicles. This is good news for the EV industry and keeps the demand high for elements that go into batteries. Graphite is commonly the most prolific element in a battery.
- China is pushing for aggressive new ZEV mandate: 8% of new cars to be electric by the end 2018 and 12% by 2020.
- France, Britain, Germany, Norway, Austria, Denmark, Ireland, Japan, Netherlands, Portugal, Korea and Spain have set official targets for electric car sales. The United States doesn't have a federal policy, but at least eight states have set out goals. (California, Colorado, Illinois, Massachusetts, New Mexico, New York, Vermont and Washington)
- A global shift away from fossil fuels is contributing to graphite's success as it is acritical constituaent part of the expanding lithium-ion battery sector
- With graphite as an integral material in the construction of everything from nuclear power plants to smartphones, the material's viability as an investment has never been clearer.

**BERKWOOD RESOURCES Ltd.
PHASE 3 DIAMOND DRILLING**

ASSAY RESULTS & COMPOSITES TABLE



DDH ID	From (m)	To (m)	Sample Length (m)	True thickness (m) **	Cg% Avg	
BK1-19-18	35.20	44.88	9.68	9.1	24.85	
BK1-20-18	15.20	20.61	5.41	3.8	6.51	
BK1-20-18	43.43	62.33	18.90	14.5	14.28	
BK1-20-18	67.25	84.35	17.10	17.2	4.50	
BK1-21-18	74.20	112.93	38.73	26.5	17.58	
BK1-22-18	30.62	50.14	19.52	15.5	22.51	
BK1-23-18					No Samples	
BK1-24-18	64.93	70.45	5.52	1.9	13.18	
BK1-25-18	18.24	148.79	130.55	87.5	17.37	
<i>includes</i>	18.24	47.14	28.90	20.2	24.67	
<i>includes</i>	47.14	71.60	24.46	15.7	9.03	
<i>includes</i>	71.60	88.39	16.79	13.8	33.88	
<i>includes</i>	88.39	113.31	24.92	12.5	18.52	
<i>includes</i>	113.31	148.79	35.48	25.3	6.79	
BK1-26-18	67.91	76.30	8.39	4.2	14.70	
BK1-26-18	128.07	146.08	18.01	9.0	18.37	
BK1-27-18	43.55	48.87	5.32	1.8	4.58	
BK1-27-18	57.71	72.49	14.78	6.2	6.82	
BK1-27-18	119.10	134.11	15.01	11.5	20.58	
BK1-27-18	141.21	147.13	5.92	4.5	26.70	
BK1-27-18	161.00	182.89	21.89	10.0	4.76	& open

** True thickness was estimated based on foliation to core axis and the initial interpretation

Berkwood Resources Ltd TSX.V BKR Frankfurt: WKN: A110N3
 Drill Results from Zone 1 on the Lac Gueret Property in Quebec

DDH ID	From (m)	To (m)	Sample length (m)	True thickness (m) -	Cg% avg
Phase 1 Drill Program					
BK1-01-17	40.23	45.00	4.77	4.48	28.61
BK1-01-17	99.48	137.77	38.29	36.00	14.68
includes	101.98	110.19	9.83	9.20	29.17
BK1-02-17	43.05	46.38	3.33	9.75	15.16
BK1-02-17	60.85	80.45	19.60	15.50	24.01
includes	64.38	74.40	10.02	6.40	32.95
BK1-03-17	20.79	47.69	26.90	26.90	24.40
includes	24.28	26.94	2.66	2.60	31.08
includes	34.69	44.06	9.37	9.30	35.34
BK1-03-17	93.40	99.38	5.98	5.98	13.11
BK1-04-17	26.68	79.24	52.56	40.30	21.01
includes	26.68	54.55	27.87	21.40	28.38
includes	69.19	71.71	2.52	1.90	31.72
BK1-05-17	31.40	43.86	12.46	8.80	20.72
includes	36.21	39.41	3.20	1.40	33.69
BK1-06-17	16.39	28.34	11.95	22.10	25.52
BK1-07-17	112.75	118.61	5.95	4.40	10.83
BK1-08-17	139.42	160.63	17.17	16.40	20.04
includes	150.37	155.83	5.46	4.50	31.19
BK1-08-17	169.83	177.04	7.11	6.20	28.02
BK1-09-17	114.25	142.34	21.33	18.50	12.27
BK1-10-17	133.98	148.75	16.27	14.10	9.10
BK1-11-17	19.84	24.17	4.33	3.80	11.39
BK1-12-17	30.62	33.93	3.31	2.70	11.23
BK1-13-17	38.44	46.59	8.15	6.90	19.20
BK1-13-17	99.64	105.57	5.93	4.90	18.84
BK1-13-17	117.60	120.13	2.53	2.00	18.52
Phase 2 Drill Program					
BK1-14-17	19.40	84.09	64.69	20.90	20.95
includes	53.99	79.55	27.11		37.68
BK1-15-17	47.21	129.53	74.75	71.10	13.64
includes	47.21	56.43	9.22		27.20
includes	67.41	81.75	14.34		27.52
BK1-16-17	18.32	46.66	28.34	26.61	21.86
includes	18.32	39.08	20.76		29.84
BK1-16-17	50.79	125.38	74.59	38.48	17.34
includes	50.79	57.91	10.17		32.00
& includes	69.75	87.02	17.27		30.75
BK1-17-17	47.74	104.32	56.58	43.30	16.23
includes	59.90	78.81	18.91		26.33
BK1-18-17	57.31	70.24	12.93	8.01	18.58
Weighted Average (of Drill programs 1 & 2)				18.30	18.00
Phase 3 Drill Program					
BK1-19-18	35.20	44.88	9.68	9.10	24.85
BK1-20-18	15.20	43.43	28.23	3.80	5.04
BK1-20-18	43.43	62.33	18.90	14.50	14.28
BK1-20-18	62.33	99.93	37.60	19.90	4.28
BK1-21-18	74.20	112.92	38.72	26.50	17.58
BK1-22-18	21.34	50.14	28.80	16.50	17.85
BK1-23-18	0.00	0.00	0.00	0.00	0.00
BK1-24-18	64.93	70.45	5.52	1.90	13.18
BK1-25-18	18.24	148.79	130.55	87.50	17.37
Includes	18.24	47.14	28.90	20.20	24.67
Includes	47.14	71.60	24.46	15.70	9.03
Includes	71.60	88.39	16.79	13.80	33.88
Includes	88.39	113.31	24.92	12.50	18.52
Includes	113.31	148.79	35.48	25.30	6.79
BK1-26-18	67.91	76.30	8.39	4.20	14.70
BK1-26-18	128.07	146.08	18.01	9.00	18.37
BK1-27-18	43.55	48.87	5.32	1.80	4.58
BK1-27-18	57.71	72.49	14.78	6.20	6.82
BK1-27-18	119.10	134.11	15.01	11.50	20.58
BK1-27-18	141.21	147.13	5.92	4.50	26.70
BK1-27-18	161.00	182.89	21.89	10.00	4.76

** True thickness was estimated based on foliation to core axis and the Initial Interpretation



BK1-23-18 was drilled across the margin of the anomaly to test the limits of graphite mineralisation. No graphite was encountered. Deposit definition will require some tests of the margins in order for us to design a more efficiently drill program. This is typical exploration testing.

Lac Gueret South Zone 1

Lac Gueret South is located in Cote Nord, Quebec, a three-hour drive from Baie-Comeau in an area with very good infrastructure. The Project lies directly south of Mason Graphite's (TSX-LLG) advanced Lac Gueret Project. Mason is developing one of the largest medium to high-grade graphite deposits in the world.

Including the Phase 3 campaign, the Company has drilled 27 holes on Zone 1 that totals 4,006m. The Company is pleased to announce it has intersected visual Graphite in every hole drilled to date, with significant Cgrr intercepts being observed in 26 holes. Success in these drill programs confirms that a significant component of the distinct electromagnetic conductors that occur over a two kilometer strike length and 50 meters to 600 meters in width as defined by airborne EM geophysics (see the Berkwood news release dated February 10, 2015) includes graphite mineralization.

To view a virtual reality video of the autumn Phase 1 Zone 1 drill program as well as the most recent winter Phase 2 drill program, please follow the link at the bottom of our home page at: <http://www.berkwoodresources.com>.

Edward Lyons PGeo (BC, QC, NL) is a Qualified Person under the definition of Canadian National Instrument 43-101, and has approved the technical information in this news release. Ed has worked extensively on the Lac Gueret Property, now owned by Mason, and neighbouring graphite properties since 2000.

About the Company: Berkwood is engaged in exploration for the commodities that enable the modern revolution in essential technologies. These technologies are dependent upon the ethical mining and supply of naturally occurring elements and minerals that enhance the performance of energy storage systems and permit the development and miniaturization of new electronics and structural components for the new suite of innovative tools. The Company is led by a team with collectively over 100 years experience and whose members have been involved with the discovery of several producing mines.

On Behalf of the Board of Directors

Berkwood Resources Ltd.

'Thomas Yingling'

President, CEO & Director

FOR MORE INFORMATION, PLEASE CONTACT:

Investor Relations:

info@berkwoodresources.com or 1-778-945-2935 www.berkwoodresources.com

Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this news release.

Disclaimer for Forward-Looking Information:

Certain statements in this release are forward-looking statements, which reflect the expectations of management. Forward-looking statements consist of statements that are not purely historical, including any statements regarding beliefs, plans, expectations or intentions regarding the future. Such statements are subject to risks and uncertainties that may cause actual results, performance or developments to differ materially from those contained in the statements. No assurance can be given that any of the events anticipated by the forward-looking statements will occur or, if they do occur, what benefits the Company will obtain from them. These forward-looking statements reflect management's current views and are based on certain expectations, estimates and assumptions, which may prove to be incorrect.